



4 3 2 1

REVISIONS			
LTR	DESCRIPTION	DATE	APPROVAL
A	ORIGINAL	111107	-


Showing details



Note that the sleeving is pressed as close as possible to the mounting bracket.



There shall be about 2mm free copper to the bracket inside the hood



POS.	PART NUMBER	QTY.	TITLE
1	CST 09 S	1	D-SUB Connector Crimp Body 9P Female PROVERTHA
2	17 09 OM 38T 001	1	Hood for D-SUB 9P Crimp Body PROVERTHA 4-40 UNC Jack
3	C 16 24 SL G3T	7	Crimp Terminal Female AWG 24/28 PROVERTHA
4	CE6324	1	LAPP Group Connector RJ45 CAT.6 Hirose TM21
5	-	1040	LAPP Group Cable 4x2AWG26/7 Screen CAT.6a S/FTP Unitronic
6	-	35	Adhesive Copper Foil width 25mm
7	-	30	Heat Shrink Tube with Glue ø10mm
8	-	1	Label: TT37-#####-# / WW.YYYY (dwg / prod. week)
9	-	1	Label: "Console" Colour Yellow
10	-	1	Label: "ACU" Colour Yellow

CONNECTIONS				
#A	#B	SIGNAL NAME	AWG	WIRE COLOUR
8	1	CTS/RTS	26	white/orange
6	2	DSR/DTR	26	orange
2	3	RxD/TxD	26	white/green
NC	4	GND	26	blue
5	5	GND	26	white/blue
3	6	TxD/RxD	26	green
4	7	DTR/DSR	26	white/brown
9	8	Rx-RF-Power	26	brown

TT7016A		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETRES AND TOLERANCES ARE IN ACCORDANCE WITH: DS 2768-1F	DR. Per F. Nielsen 111107		TITLE Modem Cable IDirect Serial & RSSI TT7016A
			CH. S.Stave 111107		
		ANGLES LIN. DIM.	AP. Per F. Nielsen 111107		SIZE A3
			AP.		
NEXT ASSY		MATERIAL	FIRST ANGLE PROJECTION		CODE IDENT NO.
USED ON			DRAWING NO. TT37-134678		DRAWING NO.
APPLICATION				SCALE	SHEET 1 OF

Thrane & Thrane A/s
Telecommunications Engineering Copenhagen Denmark

4 3 2 1